AUTHOR INDEX

Allibert, C. H., 309
Antonione, C., 169

Baranowski, B., 329
Barrett, N., 177
Basavalingu, B., 355
Battezzati, L., 169
Belbacha, E., 121
Bhandage, G. T., 355
Bock, J., 243
Bodsworth, C., 229
Borzone, G., 47, 109, 195
Bouirden, L., 121
Bronger, W., 261
Bros, J. P., 9, 195
Bruzzone, G., 67
Büchler, H., 251
Buschow, K. H. J., 375
Butt, M. T. Z., 229

Cacciamani, G., 99, 109, 195
Canepa, F., 115
Cheetham, A. K., 271
Cirafici, S., 61, 79
Cocco, G., 177
Colinet, C., 157

De Mooij, D. B., 375
Delfino, S., 47, 99
Derkaoui, S., 309

Eggenhoffner, R., 89, 115
Ehmann, A., L1
Ellner, M., 207
Engel, G., 367
Enzo, S., 177

Ferdeghini, C., 187
Ferretti, M., 187
Ferro, R., 47, 99, 109, 195
Fornasini, M. L., 67, 79, 149
Franceschi, E. A., 115
Fries, T., L1

Gachon, J. C., 137
Gambino, M., 195
Greis, O., 317
Gschneidner, Jr., K. A., 1

Hertz, J., 121, 137
Hibble, S. J., 271
Hiebl, K., 217

Jacobs, H., 243
Jäger, S., 261

Kek, S., 207
Keller, H.-L., 295
Kemmler-Sack, S., L1
Klesnar, H., 217
Köhler, J., 271

Lalla, A., 233
Ludwigs, J., 317

Marazza, R., 169
Marino, F., 169
Masini, R., 187
Mayer-von Kürthy, G., L1
Mazzone, D., 169
Merlo, F., 67
Mugnoli, A., 149
Müller-Buschbaum, Hk., 233

Noel, H., 217
Notin, M., 121

Olcese, G. L., 89, 115

Palenzona, A., 61, 149, 227
Parthé, E., 31
Pasturel, A., 157
Peters, D., 243
Petzel, T., 317
Predel, B., 207
Prince, A., 229
Putti, M., 187

Range, K.-J., 251
Rebouillon, P., 195
Rennau, R., 261
Roberts, K. J., 177
Rogl, P., 217

Saccone, A., 47, 99, 109
Saine, M.-C., 361
Schmitz, D., 261
Schröder, L., 295
Schubert, K., 39
Selhaoui, N., 137
Shamsuddin, M., 285
Simon, A., 271
Siri, A. S., 187

Tareen, J. A. K., 355

van Tendeloo, G., 375

Zandbergen, H. W., 375
Zhao, J. T., 31

© Elsevier Sequoia/Printed in The Netherlands

SUBJECT INDEX

Beryllium
crystal structure of $Sc_3Ni_2Si_4$, an intergrowth of CrB, TiNiSi and $CaBe_2Ge_2$-type columns, 31
Bismuth
system $((Bi,Pb)O)_2Sr_2Bi_3Fe_4O_{13+z}$, L1
Boron
crystal structure of $Sc_3Ni_2Si_4$, an intergrowth of CrB, TiNiSi and $CaBe_2Ge_2$-type columns, 31

Cadmium
crystal structure of Cd_2AsO_4F and its relationship to oxysilicate and oxygermanate series of rare earths, 367
Cerium
high temperature molar calorific capacities of $CePb_3$, $LaPb_3$ and $NdPb_3$, 195
magnetic behaviour of $RE_2T_{15}Ga_2$; RE ≡ mischmetal MM, Y, Ce, Pr, Nd, Sm; T ≡ Fe, Co and $RE_2Fe_{15-x}Co_xGa_2$; RE ≡ Y, Nd, 217
Cobalt
redetermination of the phase equilibria in the system Sm–Co–Cu for Sm content 0 - 20 at.% at 850 °C, 309

Electron microscopy
characterization by analytical electron microscopy and single crystal X-ray diffraction of $BaNb_8O_{14}$, a metal oxide containing octahedral Nb_6O_{12} clusters, 271
Enthalpy
enthalpies and phase diagrams of the Ca–Pb system, 121
Europium
crystal structure of Eu_4Ir, 227
crystal structure of $EuMg_4$, 375

Fermi liquid model
chemical pressure behaviour of intermediate valent compounds in the resonance Fermi liquid model, 89

Gallium
AuGa–Ge section of the Au–Ge–Ga ternary system, 229
magnetic behaviour of $RE_2T_{15}Ga_2$; RE ≡ mischmetal MM, Y, Ce, Pr, Nd, Sm; T ≡ Fe, Co and $RE_2Fe_{15-x}Co_xGa_2$; RE ≡ Y, Nd, 217
Ni_3Al_4 — a phase with ordered vacancies isotypic to Ni_3Ga_4, 207
re-examination of the Ca–Ga system and crystal structure of $CaGa_4$, a monoclinic distortion of the $BaAl_4$ type, 67
Germanium
AuGa–Ge section of the Au–Ge–Ga ternary system, 229
crystal structure of $Sc_3Ni_2Si_4$, an intergrowth of CrB, TiNiSi and $CaBe_2Ge_2$-type columns, 31
Gold
high pressure synthesis and crystal structure of Al_3Au_8, 251

High-temperature calorimetry
high-temperature calorimetry in metallurgy, 9
Hydrogen
hydrogen interaction in Pd alloys, 285
stress-induced diffusion in hydrogen permeation through $Pd_{81}Pt_{19}$ membranes, 329
Hydrothermal studies
Gibbs free energy and enthalpy of formation of MOOH (M ≡ Sc, Cr, Y) phases from hydrothermal studies of M_2O_3–H_2O systems, 355

Indium
crystal structures of Yb_2Tl, Yb_8Tl_3 and Yb_8In_3, 79
system $MeO:M_2O_3$. XI; crystal structure of $BaIn_2O_4$, 233
Iridium
crystal structure of Eu_4Ir, 227

Lanthanide expansion
a most unusual occurrence — the lanthanide expansion, 1
Lanthanum
energetic arguments for the LaF_3 structure 39

© Elsevier Sequoia/Printed in The Netherlands

high temperature molar calorific capacities of $CePb_3$, $LaPb_3$ and $NdPb_3$, 195

Magnesium
heat content of Mg–Pb alloys, 109
Metallic glasses
tight-binding determination of the glass-forming concentration range in the Ni–Ti system, 157
Mischmetal
magnetic behaviour of $RE_2T_{15}Ga_2$; RE ≡ mischmetal MM, Y, Ce, Pr, Nd, Sm; T ≡ Fe, Co and $RE_2Fe_{15-x}Co_xGa_2$; RE ≡ Y, Nd, 217
Molybdenum
structural investigation of the amorphization reaction by mechanical alloying of the $Mo_{50}Ni_{50}$ system, 177

Neodymium
high temperature molar calorific capacities of $CePb_3$, $LaPb_3$ and $NdPb_3$, 195
magnetic behaviour of $RE_2T_{15}Ga_2$; RE ≡ mischmetal MM, Y, Ce, Pr, Nd, Sm; T ≡ Fe, Co and $RE_2Fe_{15-x}Co_xGa_2$; RE ≡ Y, Nd, 217
Nickel
crystal structure of $Sc_3Ni_2Si_4$, an intergrowth of CrB, TiNiSi and $CaBe_2Ge_2$-type columns, 31
Ni_3Al_4 — a phase with ordered vacancies isotypic to Ni_3Ga_4, 207
structural investigation of the amorphization reaction by mechanical alloying of the $Mo_{50}Ni_{50}$ system, 177
tight-binding determination of the glass-forming concentration range in the Ni–Ti system, 157

Palladium
hydrogen interaction in Pd alloys, 285
information on the new compound group $A_2Hg_2PdX_8$ (A ≡ Rb, Tl; X ≡ Cl, Br) with specific structure type, 295
metastable phases in rapidly solidified Pd–U–Si alloys, 169
stress-induced diffusion in hydrogen permeation through $Pd_{81}Pt_{19}$ membranes, 329
thermodynamic study of the Pd–Ti system, 137
Platinum
new compounds of Na_2PtS_2- and K_2PtS_2-type, 261
stress-induced diffusion in hydrogen permeation through $Pd_{81}Pt_{19}$ membranes, 329
Praseodymium
investigations of chemical pressure effects on valence behaviour of Pr intermetallics I: $Pr_{1-x}Y_xSn_3$ family, 115
magnetic behaviour of $RE_2T_{15}Ga_2$; RE ≡ mischmetal MM, Y, Ce, Pr, Nd, Sm; T ≡ Fe, Co and $RE_2Fe_{15-x}Co_xGa_2$; RE ≡ Y, Nd, 217

Rubidium
information on the new compound group $A_2Hg_2PdX_8$ (A ≡ Rb, Tl; X ≡ Cl, Br) with specific structure type, 295
Ruthenium
crystal structure of $Y_{44}Ru_{25}$, 149

Samarium
redetermination of the phase equilibria in the system Sm–Co–Cu for Sm content 0 - 20 at.% at 850 °C, 309
Sm–Mg system: a phase diagram, 47
Scandium
crystal structure of $Sc_3Ni_2Si_4$, an intergrowth of CrB, TiNiSi and $CaBe_2Ge_2$-type columns, 31
Gibbs free energy and enthalpy of formation of MOOH (M ≡ Sc, Cr, Y) phases from hydrothermal studies of M_2O_3–H_2O systems, 355
Strontium
system $((Bi,Pb)O)_2Sr_2Bi_3Fe_4O_{13+z}$, L1
Superconductors
electronic and phononic thermal conductivity of A15 polycrystalline superconductors, 187

Tellurium
thermodynamics of sublimation and crystal chemistry of $Tm_{0.77}Te$, 317
Thallium
contribution to Y alloying systematics: Y–Tl system, 99
crystal structures of Yb_2Tl, Yb_8Tl_3 and Yb_8In_3, 79

information on the new compound group $A_2Hg_2PdX_8$ (A ≡ Rb, Tl; X ≡ Cl, Br) with specific structure type, 295
Thermodynamics
thermodynamics of sublimation and crystal chemistry of $Tm_{0.77}Te$, 317
Thorium
equilibrium diagrams of the Th–Fe and Th–Co systems, 61
Thulium
thermodynamics of sublimation and crystal chemistry of $Tm_{0.77}Te$, 317
Tight-binding determination
tight-binding determination of the glass-forming concentration range in the Ni–Ti system, 157
Titanium
crystal structure of $Sc_3Ni_2Si_4$, an intergrowth of CrB, TiNiSi and $CaBe_2Ge_2$-type columns, 31
thermodynamic study of the Pd–Ti system, 137
tight-binding determination of the glass-forming concentration range in the Ni–Ti system, 157

Uranium
metastable phases in rapidly solidified Pd–U–Si alloys, 169
synthesis and structure of monoclinic $K_2U_2O_7$, 361

X-ray diffraction
characterization by analytical electron microscopy and single crystal X-ray diffraction of $BaNb_8O_{14}$, a metal oxide containing octahedral Nb_6O_{12} clusters, 271

Ytterbium
crystal structures of Yb_2Tl, Yb_8Tl_3 and Yb_8In_3, 79
Yttrium
contribution to Y alloying systematics: Y–Tl system, 99
crystal structure of $Y_{44}Ru_{25}$, 149
Gibbs free energy and enthalpy of formation of MOOH (M ≡ Sc, Cr, Y) phases from hydrothermal studies of M_2O_3–H_2O systems, 355
investigations of chemical pressure effects on the valence behaviour of Pr intermetallics I: $Pr_{1-x}Y_xSn_3$ family 115
magnetic behaviour of $RE_2T_{15}Ga_2$; RE ≡ mischmetal MM, Y, Ce, Pr, Nd, Sm; T ≡ Fe, Co and $RE_2Fe_{15-x}Co_xGa_2$; RE ≡ Y, Nd, 217